

Tubos Condutores Com e Sem Costura

Diâm. Nom. Pol.	Diâm. Ext. mm	Espes. Pared. mm	Classe SCH	Peso KG/M
1/4"	13,70	2,24	40	0,63
		3,02	80	0,80
3/8"	17,10	2,31	40	0,84
		3,2	80	1,10
1/2"	21,30	2,77	40	1,27
		3,73	80	1,62
		4,78	160	1,95
		7,47	XXS	2,55
3/4"	26,70	2,87	40	1,69
		3,91	80	2,20
		5,56	160	2,90
		7,82	XXS	3,64
1"	33,40	3,38	40	2,50
		4,55	80	3,24
		6,35	160	4,24
		9,09	XXS	5,25
1.1/4"	42,20	3,39	40	3,39
		4,85	80	4,47
		6,35	160	5,61
		9,7	XXS	7,77
1.1/2"	48,30	3,68	40	4,05
		5,08	80	5,41
		7,14	160	7,25
		10,15	XXS	9,55
2"	60,30	3,91	40	5,44
		5,54	80	7,78
		8,74	160	11,11
		11,07	XXS	13,44

Tubos Condutores Com e Sem Costura

Diâm. Nom. Pol.	Diâm. Ext. mm	Espes. Pared. mm	Classe SCH	Peso KG/M
2.1/2"	73,00	5,16	40	8,63
		7,01	80	11,41
		9,53	160	14,92
3"	88,90	14,02	XXS	20,39
		5,49	40	11,29
		7,62	80	15,27
		11,13	160	21,35
3.1/2"	101,60	15,24	XXS	27,68
		5,74	40	13,57
		8,08	80	18,64
4"	114,30	6,02	40	16,07
		8,56	80	22,32
		11,13	120	28,32
		13,49	160	33,54
5"	141,30	17,12	XXS	41,03
		6,55	40	21,77
		9,53	80	30,97
		12,7	120	40,28
		15,88	160	49,12
6"	168,30	19,05	XXS	57,43
		7,11	40	28,26
		10,97	80	42,56
		18,26	160	67,56
8"	219,10	21,95	XXS	79,22
		6,35	20	33,31
		7,04	30	36,81
		8,18	40	42,55
		10,31	60	53,08
		12,7	80	64,64
		15,09	100	75,92
		18,26	120	90,44
		20,62	140	100,92
		22,23	XXS	107,92
		23,01	160	111,27

Tubos Condutores Com e Sem Costura

Diâm. Nom. Pol.	Diâm. Ext. mm	Espes. Pared. mm	Classe SCH	Peso KG/M
10"	273,00	6,35	20	41,77
		7,8	30	51,00
		9,27	40	60,30
		12,7	60	81,55
		15,09	80	96,01
		18,26	100	114,75
		21,44	120	133,06
		25,4	140	155,15
		28,58	160	172,33
12"	323,80	6,35	20	49,73
		8,38	30	65,20
		9,53	STD	73,88
		10,31	40	79,73
		12,7	XS	97,48
		14,27	60	108,93
		17,48	80	132,08
		21,44	100	159,91
		25,4	120	186,97
		28,58	140	208,08
33,32	160	238,76		
14"	355,60	6,35	10	54,69
		7,92	20	67,90
		9,53	30	81,33
		11,13	40	94,55
		12,7	XS	107,39
		15,09	60	126,71
		19,05	80	158,10
		23,83	100	194,96
		27,79	120	224,65
		31,75	140	253,56
35,71	160	281,70		

Tubos Condutores Com e Sem Costura

Diâm. Nom. Pol.	Diâm. Ext. mm	Espes. Pared. mm	Classe SCH	Peso KG/M
16"	406,40	6,35	10	63,12
		7,92	20	77,83
		9,53	30	93,27
		12,7	40	123,31
		16,66	60	160,13
		21,44	80	203,54
		26,19	100	245,57
		30,96	120	286,66
		36,53	140	333,21
		40,49	160	365,38
18"	457,00	6,35	10	71,11
		7,92	20	87,71
		9,53	STD	105,17
		11,13	30	122,38
		12,7	XS	139,16
		14,27	40	155,81
		19,05	60	205,75
		23,83	80	254,57
		29,36	100	309,64
		34,93	120	363,58
20"	508,00	39,67	140	408,28
		45,24	160	459,39
		6,35	10	79,16
		9,53	20	117,15
		12,7	30	155,13
		15,09	40	183,43
22"	559,00	20,62	60	247,84
		26,19	80	311,19
		50,01	160	564,85
		6,35	10	86,55
		9,53	20	129,14
		12,7	30	171,10
		15,88	-	212,61
		22,23	60	294,27
		28,58	80	373,85
		34,93	100	451,45
24"	610,00	41,28	120	527,05
		47,63	140	600,67
		53,98	160	672,30

Tubos Condutores Com e Sem Costura

Diâm. Nom. Pol.	Diâm. Ext. mm	Espes. Pared. mm	Classe SCH	Peso KG/M
24"	610,00	6,35	10	95,26
		9,53	20	141,12
		12,7	XS	187,07
		14,27	30	209,65
		17,48	40	255,43
		24,61	60	355,28
		30,96	80	442,11
		38,89	100	547,74
		46,02	120	640,07
		52,37	140	720,19
26"	660,40	6,35		102,30
		9,53	STD	152,71
		12,7	20	202,62
		15,88		252,04
		17,48		276,75
		19,5		300,95
28"	711,20	6,35		110,25
		9,53	STD	164,63
		12,7	20	218,51
		15,88	30	271,90
		17,48		298,61
		19,05		324,79
30"	762,00	6,35		118,19
		9,53	STD	176,55
		12,7	20	234,40
		15,88		291,77
		17,48	30	320,49
		19,05		350,62
32"	812,80	6,35		126,14
		9,53	STD	188,47
		12,7	20	250,30
		15,88	30	311,63
		17,48	40	342,36
		19,05		372,46
34"	863,60	6,35		134,08
		9,53	20	200,39
		12,7	30	266,16
		15,88	40	331,50
		17,48		364,22
		19,05		396,74

Tubos Condutores Com e Sem Costura

Diâm. Nom. Pol.	Diâm. Ext. mm	Espes. Pared. mm	Classe SCH	Peso KG/M
36"	914,40	6,35		142,03
		9,53	STD	212,31
		12,7	20	282,08
		15,88	30	351,36
		17,48		386,09
		19,05		420,14
38"	965,20	6,35		151,29
		9,53	STD	224,23
		12,7	XS	297,97
		15,88		371,23
		17,48		407,95
		19,05		443,97
40"	1.016,00	6,35		159,34
		9,53	STD	236,15
		12,7	XS	313,86
		15,88		391,09
		17,48		429,82
		19,05		467,81